

Extreme Severe Tricuspid Regurgitation in Patient with the First Clinical Manifestation of Right Ventricular Failure: a Case Report

Mirjana Isailović-Keković ^{1*}, Predrag Keković ²

¹ Hospital "Dr Aleksa Savić" Prokuplje.

² Doctor's office, InterKardia 027 Prokuplje.

*Corresponding Author: Mirjana Isailović-Keković, Miloša Mamića 5, 18400 Prokuplje, Srbija.

Received date: July 06, 2023; Accepted date: July 17, 2023; Published date: July 20, 2023

Citation: Mirjana Isailović-Keković, Predrag Keković (2023), Extreme Severe Tricuspid Regurgitation in Patient with the First Clinical Manifestation of Right Ventricular Failure: a Case Report, *International Journal of Cardiovascular Medicine*, 2(3); DOI:10.31579/2834-796X/033

Copyright: © 2023, Mirjana Isailović-Keković. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

The aim of this study is to demonstrate unrecognized tricuspid regurgitation leading to heart failure. I would like to point out the importance of the ultrasound examination of the heart in detecting severe tricuspid regurgitation

Keywords: tricuspid regurgitation; right ventricular failure; mitral regurgitation; atrial fibrillation

Introduction

The aim of this study is to demonstrate unrecognized tricuspid regurgitation leading to heart failure. I would like to point out the importance of the ultrasound examination of the heart in detecting severe tricuspid regurgitation.

Case report: 81-years-old patient was admitted to the hospital because of the first clinical manifestation of right ventricular failure. He had acute myocardial infarction in 2009. He hasn't seen a doctor in 14 years. On admission, he had dyspnea and bradyarrhythmia and massive pretibial edema. NT-proBNP was over 12000 pg/ml. The therapy includes a diuretic, bronchodilator, ACE inhibitor and other necessary drugs. He already has atrial fibrillation, and he is already at oral anticoagulant therapy. 12-lead ECG: dextrogram, atrial fibrillation with ventricular response around

60/beats per minute, right bundle branch block. Echocardiography: aorta normal, left atrium enlarged (Figure 1), diastolic dysfunction, mitral regurgitation 3-4⁺ (EROA 0.3 cm² and RVol 56ml) (Figure 2); left ventricular ejection fraction 45%, inferior wall akinesis; right atrium and right ventricle are extremely enlarged with spontaneous echo contrast (Figure 3); tricuspid leaflets impaired coaptation; severe TR 4⁺ in two jets with SPDK=80mmHg (Figure 4); inferior vena cava greatly expanded (about 40mm); vena contracta 15mm. Roentgenogram of lungs and heart: bilateral pleural effusion. Abdominal ultrasound: signs of liver congestion, VCI diameter 42 mm; ascites fluid perihepatic and perisplenic. Therapy at hospital discharge: furosemide, spironolactone, direct oral anticoagulant therapy, ACE inhibitor with mandatory prophylaxis of bacterial endocarditis.



Figure 1: Enlarged left atrium




Figure 2: Severe mitral regurgitation




Figure 3: Enlarged right atrium and right ventricle with spontaneous echo contrast




Figure 4: Severe tricuspidal regurgitation

Conclusion

This case report indicates the importance of regular visits to the cardiologist, as well as the importance of timely diagnosis in order to prevent unwanted cardiac events.

References

1. Arsalan M, Walther T, Smith RL 2nd, Grayburn PA. Tricuspid regurgitation diagnosis and treatment. *Eur Heart J*. 2017 Mar 1;38(9):634-638. <https://doi.org/10.1093/eurheartj/ehv487>
2. Buja LM, Butany J, editors. *Cardiovascular Pathology*, Fifth Edition. Academic Press, 2022.
3. Mushlin SB, Greene HL. *Decision Making in Medicine*. Mosby, 3rd Edition, 2010.
4. Baumgartner H, Falk V, Bax JJ, De Bonis M, Hamm C, Holm PJ, et al; ESC Scientific Document Group. 2017 ESC/EACTS Guidelines for the management of valvular heart disease. *Eur Heart J*. 2017 Sep 21;38(36):2739-2791. <https://doi.org/10.1093/eurheartj/ehx391>

Ready to submit your research? Choose ClinicSearch and benefit from:

- fast, convenient online submission
- rigorous peer review by experienced research in your field
- rapid publication on acceptance
- authors retain copyrights
- unique DOI for all articles
- immediate, unrestricted online access

At ClinicSearch, research is always in progress.

Learn more <https://clinicsearchonline.org/journals/international-journal-of-cardiovascular-medicine>



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.