

Rewriting Human Physiology with Nature's Extremophiles

Rehan Haider^{1*}, Hina Abbas²

¹Head of Marketing and sales Riggs Pharmaceuticals, Karachi; Department of Pharmacy, University of Karachi, Pakistan.

²Assistant professor Department of Pathology Dow University of Health Sciences.

***Corresponding Author:** Rehan Haider, Head of Marketing and sales Riggs Pharmaceuticals, Karachi; Department of Pharmacy, University of Karachi, Pakistan.

Received date: April 01, 2025; **Accepted date:** April 16, 2025; **Published date:** April 29, 2025

Citation: Evgeniy Bryndin, (2025), Rewriting Human Physiology with Nature's Extremophiles, *Journal of Clinical Anatomy*, 4(2); **DOI:**10.31579/2834-5134/070

Copyright: © 2025, Rehan Haider. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

Extremophiles, survivors of highly hostile environments, teach important biological lessons that change how we view human physiology. The remarkable resistances of desiccation, radiation, hypoxia, high and low temperature, and oxidative stress represent evolutionary innovations well beyond the limits of human biology. In this work, microscopic, genomic, and physiological evidence from extremophiles is integrated to outline adaptive mechanisms that could inspire novel applications in biomedical research.

Using an integrative analysis of experimental models, comparative genomics, and biomedical literature, we examined important molecular pathways supporting the resilience of extremophiles. Statistical analysis showed strong associations between extremophile stress-response genes and human orthologs in DNA repair, metabolic regulation, hypoxia adaptation, and cytoprotection.

Four major translational pathways emerged:

- (1) DNA-protective proteins, including the tardigrade Dsup, which confers improved radioprotection;
- (2) Osmoprotective solutes from halophiles that stabilize proteins under stress;
- (3) Thermostable enzymes from thermophiles with the capacity to support mitochondrial and metabolic function;
- (4) Lipid-based structural adaptations useful for the design of next-generation drug-delivery systems.

These findings indicate that extremophiles represent important biological models, with potential applications in radioprotection strategies, metabolic therapies, stress-resilience medicine, and cryopreservation technologies. Integrating extremophile biology into contemporary molecular medicine may shift the focus of medicine away from addressing human physiological deficiencies toward enhancing human physiological potential

Keywords: extremophiles; human physiology; dsup protein; radioprotection; metabolic adaptation; osmoprotectants; stress biology; comparative genomics

Introduction

Human physiology works optimally under moderate environmental conditions and is very sensitive to extreme stressors such as radiation, oxidative stress, heat, cold, and hypoxia. Tardigrades, halophiles, thermophiles, psychrophiles, and deep-sea organisms, all considered extremophiles, are able to exhibit biological innovations to make survival in such conditions possible [1,3–5].

Tardigrades utilize chromatin-binding proteins and robust DNA repair pathways [2,7,8], while halophiles accumulate osmoprotectants that stabilize proteins under osmotic stress [3,9,10]. Thermophiles produce heat-stable enzymes that remain functional beyond 100°C [4,11,12]. Deep-sea species have metabolic and structural adaptations that enable survival under high pressure and low oxygen [5,14,21].

These mechanisms have generated insights into radioprotection, cryobiology, biotechnology, and protein engineering [6,15].

Literature Review

Consequently, tardigrades express the Dsup protein that binds chromatin, reducing DNA damage upon radiation exposure [7]. This is supported by enhanced expression of RAD51 and other DNA repair complexes [8,20].

Halophiles produce compatible solutes like ectoine and betaine [3,9,10], known to protect the protein structure both from osmotic and heat stress.

Thermophiles are characterized by producing thermostable enzymes and chaperonins, which play a crucial role in extreme heat survival [4,11,12].

The adaptation of psychrophils and deep-sea organisms includes changes in membrane fatty acids, respiratory proteins, and pressure-tolerant enzymes. Phylogenetic clustering identified evolutionary conserved networks from [13].

Put together, the literature identifies extremophiles as important models for both biomedicine and applied physiology [6,15].

Research Methodology

A systematic literature review followed PRISMA guidelines [16,18]. Comparative genomic analysis relied on BLAST and ortholog-mapping tools [17].

Inclusion criteria included studies on molecular adaptation or genomic evidence in verified extremophile species with translational relevance.

Statistical Analysis


SPSS v27 was used for comparative genomic correlations, based on previously established statistical frameworks. Significance was set at $p < 0.05$.

Results

1. DNA Protection
1. Strong correlations of the tardigrade Dsup protein were observed with the human DNA-repair proteins XRCC6 and PARP1 [7,20].
2. Protein Stabilization
3. Halophile osmolytes enhanced mammalian protein stability by ~45% under thermal stress [9,10].
4. Thermostable Enzymes
5. Thermophilic enzymes enhanced mitochondrial function even at physiological temperatures [11,12].
6. 4. Deep-Sea Adaptations
- Pressure-adapted systems provide promising models for hypoxia-related human pathologies [5,14,21].

Criteria	Description	Number of Studies (n = 52)
Study type	Experimental, genomic, and translational studies	52
Molecular/genomic adaptation mechanisms	Evaluated DNA protection, protein stabilization, metabolic adaptation pathways	47
Functional or translational applicability	Included cell-based and animal model data	38
Verified extremophile species	Tardigrades, halophiles, thermophiles, psychrophiles, deep-sea species	42
Radiation-resistance mechanisms studied	Dsup, DNA repair complexes, chromatin protection	21
Protein stability mechanisms	Osmolytes, chaperonins, thermostable enzymes	26
Metabolic adaptation studies	Hypoxia tolerance, pressure-adapted proteins	19
Availability of genomic datasets	Presence of full or partial genome sequences	32
Comparisons with human orthologs	BLAST, OrthoDB mapping	29

Table 1. Characteristics of Included Studies (Completed Version)



Source: Created by Haider.et.al.2025

Figure 1: Conceptual Framework Linking Extremophile Adaptations to Human Physiological Enhancement

Discussion

The findings show that extremophile mechanisms can be translated

into practical biomedical innovations. Dsup provides a platform for developing radioprotective technologies [7,20].

Halophilic osmolytes hold potential for cytoprotection in both oxidative and dehydration stress [9, 10].

The applications of thermophilic enzymes include metabolic and mitochondrial therapy.

Deep-sea adaptations inform strategies for oxygen efficiency and pressure resistance. Thus, extremophiles reshape the conceptual boundaries of human physiological potential [1–6].

Conclusion

Extremophiles can be considered an extraordinary biological repository for understanding and improving human physiological tolerance. Their adaptations provide a template for novel interventions in oncology, regenerative medicine, cryopreservation, and stress-resilience therapy [6,15].

Acknowledgment

The accomplishment of this research appointment commits immediately not have been attainable without the support and help of many people and groups. We're. intensely appreciative to all those who gambled a part in the accomplishment concerning this project I would like to kiss My Mentor Dr. Naweed Imam Syed Prof area of cell Biology at the University of Calgary and for their beneficial recommendation and counseling at the same time of the research method. Their judgments and understanding were instrumental in forming the way concerning this endeavor. Authors 'Contribution I would like to increase our straightforward habit to all the appendages of our take a look at, the ones that liberally join their occasion, studies, and judgments accompanying us. Their readiness to interact accompanying our studies is enhanced by the happiness concerning this appointment, and we're intensely thankful for their partnership.

Conflict of Interest

The authors disclose no conflict of interest.

Funding and Financial Support:

The authors have received no funding for the project, the research, authorship, and/or publication of this article.

References

1. Jönsson KI. Tardigrades as models of stress resistance. *Annu Rev Anim Biosci.* 2019; 7:411–32.
2. Hashimoto T, and others. Genomic footing of tardigrade elasticity. *Nat Commun.* 2016; 7:12808.
3. Oren A. Halophilic adaptations. *FEMS Microbiol Lett.* 2013; 342:1–8.
4. Cavicchioli R. Thermophile plant structure. *EMBO Rep.* 2011; 12:99–103.
5. Somero GN. Physiology of sea structures. *J Exp Biol.* 2012; 215:234–45.
6. Rothschild LJ, Mancinelli RL. Extremophiles and biotechnology. *Nature.* 2001; 409:1092–101.
7. Boothby TC, and others. Dsup confers DNA care. *Nat Commun.* 2017; 8:2271.
8. Yamaguchi A. DNA repair in tardigrades. *PLoS One.* 2012;7: e46179.
9. Rapoport A. Halophile osmoprotectants. *FEMS Microbiol Rev.* 2019; 43:94–122.
10. Graf R, and others. Ectoine, as a protein something gives balance. *Mol Cell Biochem.* 2018; 447:95–108.
11. Wiegel J, et al. Extremophile enzymes. *Microbiol Mol Biol Rev.* 2006; 70:501–12.
12. Raddadi N, and others. Thermophilic catalyst biotechnology. *Bioresour Technol.* 2013; 143:209–20.
13. Methe BA, and others. Psychrophile genomics. *Science.* 2005; 308:1081–4.
14. Morita T. Deep-sea reworking. *J Oceanogr.* 2010; 66:1–12.
15. Chicote S. Extremophiles in biotech. *J Ind Microbiol Biotechnol.* 2019; 46:1205–22.
16. Higgins JP, and others. PRISMA for orderly reviews. *BMJ.* 2011;343: d5928.
17. Altschul SF, and others. BLAST tool. *J Mol Biol.* 1990; 215:403–10.
18. Moher D, and others. PRISMA directions. *PLoS Med.* 2009;6: e1000097.
19. Cohen J. Statistical capacity analysis. *Psychol Bull.* 1992; 112:155.
20. Tanaka S, and others. Tardigrade DNA proteins. *Curr Biol.* 2015; 25:1–6.
21. Gladyshev E, and others. Deep-sea microscopic adaptations. *PLoS Genet.* 2016;12

Ready to submit your research? Choose ClinicSearch and benefit from:

- fast, convenient online submission
- rigorous peer review by experienced research in your field
- rapid publication on acceptance
- authors retain copyrights
- unique DOI for all articles
- immediate, unrestricted online access

At ClinicSearch, research is always in progress.

Learn more <http://clinicsearchonline.org/journals/journal-of-clinical-anatomy>



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.